

REFERENCES

- [1] R. E. Borcherds, *Generalised Kac-Moody algebras*, J. Algebra **115** (1988), 501–512.
- [2] R. E. Borcherds, *Monstrous moonshine and monstrous Lie superalgebras*, Invent. Math. **109** (1992), 405–444.
- [3] B. Deng, J. Xiao, *A new approach to Kac’s theorem on representations of valued quivers*, Math. Z. **245** (2003), 183–199.
- [4] K. Jeong, S.-J. Kang, M. Kashiwara, *Crystal bases for quantum generalised Kac-Moody algebras*, Proc. Lond. Math. Soc. (3) **90** (2005), 395–438.
- [5] K. Jeong, S.-J. Kang, M. Kashiwara, D.-U. Shin, *Abstract crystals for quantum generalised Kac-Moody algebras*, Int. Math. Res. Not. IMRN, no 1, Art. ID mm001.
- [6] A. Joseph, P. Lamprou, *A Littelmann path model for crystals of generalised Kac-Moody algebras*, arXiv: 0804.1485.
- [7] S.-J. Kang, *Quantum deformations of generalized Kac-Moody algebras and their modules*, J. of Algebra **175** (1995), 1041–1066.
- [8] B. Sevenhant, M. van den Bergh, *A relation between a conjecture of Kac and the structure of the Hall algebra*, J. Pure and Appl. Algebra **160** (2001), 319–332.
- [9] M. Wakimoto, *Infinite Dimensional Lie Algebras*, Translations of Mathematical Monographs, Volume 195, 2001.